SEQUENCE LISTING

(1) GENERAL INFORMATION:

APPLICANT: Le, Junming Vilcek, Jan
Daddona, Peter E.
Ghrayeb, John
Knight, David M. Siegel, Scott A.

(ii) TITLE OF INVENTION: MONOCLONAL AND CHIMERIC ANTIBODIES SPECIFIC FOR HUMAN TUMOR NECROSIS FACTOR 10

- (iii) NUMBER OF SEQUENCES: 5
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Browdy and Neimark (B) STREET: 419 Seventh Street, N.W.
 - (C) CITY: Washington (D) STATE: D.C. (E) COUNTRY: USA

 - (F) ZIP: 20004

20

25

35

40

45

50

15

- (v) COMPUTER READABLE FORM:

 (A) MEDIUM TYPE: Floppy disk

 (B) COMPUTER: IBM PC compatible

 (C) OPERATING SYSTEM: PC-DOS/MS-DOS

 (D) SOFTWARE: Patentin Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE\
 - (C) CLASSIFICATION:
- 30 (vii) PRIOR APPLICATION\DATA:
 - (A) APPLICATION NUMBER: US 08/013,413
 - (B) FILING DATE: 02-FEB-1993
 - (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 08/010,406
 - (B) FILING DATE: 29-JAN-1993
 - (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 07/943,852
 - (B) FILING DATE: 11-\$EP-1992
 - (vii) PRIOR APPLICATION DATA
 - (A) APPLICATION NUMBER: US 07/853,606 (B) FILING DATE: 18-MAR-1992
 - (vii) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: US 07/670,827
 - (B) FILING DATE: 18-MAR-1991
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 202-628-5197
 - (B) TELEFAX: 202-737-3528
 - (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 157 amino acids
 (B) TYPE: amino acid

I:\gkt\app\newapp le1v3e.app

	-	7	(D	тд,	POLO	GY:	line	ar										
	Suppl	(ii)	MOL	ECULI	E TY:	PE: j	pept	ide										
	• •	(xi)	SEQ	JENC	E \ E:	SCRI	PTIO	N: S	EQ I	D NO	:1:							
5		Val 1	Arg	Ser	sek	Ser 5	Arg	Thr	Pro	Ser	Asp 10	Lys	Pro	Val	Ala	His 15	Val	
		Val	Ala	Asn	Pro 20	Gln	Ala	Glu	Gly	Gln 25	Leu	Gln	Trp	Leu	Asn 30	Arg	Arg	
		Ala	Asn	Ala 35	Leu	leu	Ala	Asn	Gly 40	Val	Glu	Leu	Arg	Asp 45	Asn	Gln	Leu	
10		Val	Val 50	Pro	Ser	Glu	Gly	Leu 55	Tyr	Leu	Ile	Tyr	Ser 60	Gln	Val	Leu	Phe	
		Lys 65	Gly	Gln	Gly	Cys	Pro	Ser	Thr	His	Val	Leu 75	Leu	Thr	His	Thr	Ile 80	
15		Ser	Arg	Ile	Ala	Val 85	Ser	Tyr	Gln	Thr	Lys 90	Val	Asn	Leu	Leu	Ser 95	Ala	
		Ile	Lys	Ser	Pro 100	Сув	Glh	Arg	Glu	Thr 105	Pro	Glu	Gly	Ala	Glu 110	Ala	Lys	
		Pro	Trp	Tyr 115	Glu	Pro	Ile	Tyr	Leu 120		Gly	Val	Phe	Gln 125	Leu	Glu	Lys	
20		Gly	Asp 130		Leu	Ser	Ala	GJu 135	Ile	Asn	Arg	Pro	Asp 140		Leu	Asp	Phe	
		Ala 145	Glu	Ser	Gly	Gln	Val 150		Phe	Gly	Ile	Ile 155		Leu				
	(2)	INFO	RMAT	ION I	FOR .	SEO	ID N	0:2:										
25	ν-,		SEQ (A (B (C	UENCI) LEI) TYI	E CH NGTH PE: 1 RAND	ARAC : 32 nucl EDNE	TERI 1 ba eic SS:	STIC se p acid sing	ai‡s									
30		(ii)	MOL	ECUL	E TY	PE:	cDNA		'							·	•	
		(ix)		TURE) NAI) LO	ME/K			21										
		(xi)	SEQ	UENC	E DE	SCRI	PTIO	N: S	EQ I	р иф	:2:							
35	GAC Asp 1	ATC Ile	TTG (CTG : Leu '	ACT Thr 5	CAG Gln	TCT Ser	CCA Pro	GCC . Ala	ATC Ile 10	CTG Leu	TCT Ser	GTG Val	AGT Ser	CCA (Pro (GGA Gly	48	
1 0		AGA Arg															96	
٠	ATC Ile	CAC His	TGG ' Trp '	TAT (Tyr (CAG Gln	CAA . Gln .	AGA Arg	ACA .	AAT Asn	GGT Gly	TCT Ser	CCA Pro	AGG Arg	CTT Leu	CTC .	ATA Ile	144	

		/		35					40					45			•	
•	Supply .				TCT													192
5					GGG Gly													240
10					GCA Ala													288
					TCG Ser 100													321
		(2)	INFO	ORMA'	rion	FOR	SEQ	^{‡D 1}	NO:3	:								
15				(i) :	(B)	LEI	NGTH	: 10' aming	ERIST 7 am: 5 ac: Linea	ino a id		5						
			(:	ii) 1	MOLE	CULE	TYPI	E: p	rote:	in								
20			(2	xi) :	SEQUE	ENCE	DESC	CRIP	гіфи:	: SEÇ	O ID	NO:3	3:					
		Asp 1	Ile	Leu	Leu	Thr 5	Gln	Ser	Prò	Ala	Ile 10	Leu	Ser	Val	Ser	Pro 15	Gly	
		Glu	Arg	Val	Ser 20	Phe	Ser	Сув	Arg	Ala \25	Ser	Gln	Phe	Val	Gly 30	Ser	Ser	
25		Ile	His	Trp 35	Tyr	Gln	Gln	Arg	Thr 40	Asn	Gly	Ser	Pro	Arg 45	Leu	Leu	Ile	
		Lys	Tyr 50	Ala	Ser	Glu	Ser	Met 55	Ser	Gly	lle	Pro	Ser 60	Arg	Phe	Ser	Gly	
30		Ser 65	Gly	Ser	Gly	Thr	Asp 70	Phe	Thr	Leu	Ser	Ile 75	Asn	Thr	Val	Glu	Ser 80	
		Glu	Asp	Ile	Ala	Asp 85	Tyr	Tyr	Сув	Gln	Gln 90	Ser	His	Ser	Trp	Pro 95	Phe	
		Thr	Phe	Gly	Ser 100	Gly	Thr	Asn	Leu	Glu 105	Val	r/ys						
35		(2)	INFO	ORMA'	rion	FOR	SEQ	ID I	NO:4	:							•	
			(i)	() (1	QUENC A) LI B) T	ENGTI PE :	H: 39	57 ba leic	ase p	pairs i	3	`						
40					C) ST D) T(gle				,				

(ii) MOLECULE TYPE: cDNA

(ix) FEATURE:

(A) NAME/KEY: CDS
(B) LOCATION: 1..357

I:\gkt\app\newapp lc1v3e.app

		`	\														
4000		(xi)	SEC	QUENC	CE DE	ESCRI	PTIC	N: S	SEQ I	D NC):4:						
"			AAG Lys/														48
5			AAA Lys														96
10			AAC Asn 35														144
			ATT Ile														192
15			AAA Lys														240
·			CTG Leu														288
20			TCC Ser													CAA Gln	336
25			ACT Thr 115					\	\								357
	(2)	INF	ORMAT	rion	FOR	SEQ	ID 1	10:5:	: \								
30			(i) S	(A)	LEI TYI	CHAI NGTH: PE: &	: 119 amino	ami aci	ino à id		5						
		(:	ii) N	OLE	CULE	TYPE	rq :E	otei	in								
		(2	кi) 5	SEQUE	ENCE	DESC	CRIPT	: NOL	: SEÇ	5 ID	NO:5	5:					
	Glu 1	Val	Lys	Leu	Glu 5	Glu	Ser	Gly	Gly	Gly 10	Leu	Val	Gln	Pro	Gly 15	Gly	
35	Ser	Met	Lys	Leu 20	Ser	Cys	Val	Ala	Ser 25	Gly	Phe	Ile	Phe	Ser 30	Asn	His	
	Trp	Met	Asn 35	Trp	Val	Arg	Gln	Ser 40	Pro	Glu	Lys	Gly	Leu 45	Glu	Trp	Val	
40	Ala	Glu 50	Ile	Arg	Ser	Lys	Ser 55	Ile	Asn	Ser	Ala	Thr 60	His	Tyr	Ala	Glu	
	Ser 65	Val	Lys	Gly	Arg	Phe 70	Thr	Ile	Ser	Arg	Asp 75	Asp	Ser	Lys	Ser	Ala 80	
	Val	Tyr	Leu	Gln	Met	Thr	Asp	Leu	Arg	Thr	Glu	Asp	Thr	Gly	Val	Tyr	

I:\gkt\app\newapp le1v3e.app

		. 85		90		95
	Tyr Cys Ser	Arg Asn Tyr 100	Tyr Gly Ser		asp Tyr Trp 110	Gly Gln
5	Gly Thr Thr	Leu Thr Val	Ser			
	(2) INFORMA	TON FOR SEQ	ID NO:6:			
10	(i) :	SEQUENCE CHAP (A) LENGTH: (B) TYPE: a (D) TOPOLOG	: 8 amino ac amino acid			
		MOLECULE TYPE	-			
		SEQUENCE DESC		Q ID NO:6:		
	1	Val Thr Val	Ser Ser			
15	(2) INFORMA	rion for seq	ID NO:7:			
	(i) :	SEQUENCE CHAF (A) LENGTH: (B) TYPE: a (D) TOPOLOG	: 7 amino ac amino acid			
20	(ii) 1	MOLECULE TAPE	E: protein			
	(xi)	SEQUENCE DES	CRIPTION: SE	Q ID NO:7:		•
	Gly Thr Lys 1	Leu Glu Ile 5	Lys			•
	(2) INFORMA	TION FOR SEQ	ID NO:8:			
25	(i) :		: 20 base p nucleic acid EDNESS: sing	airs l		
30	(ii) MO	LECULE TYPE:	cDNA \			
	(xi)	SEQUENCE DESC	CRIPTION SE	Q ID NO:8:		
	CCTGGATACCT	etgaaaaga			2	0
	(2) INFORMA	TION FOR SEQ	ID NO:9: \			
35	(i) s	(B) TYPE: r	: 27 base p nucleic acid EDNESS: sing	airs \		
	(ii) MO	LECULE TYPE:	CDNA	\		
40	(xi)	SEQUENCE DESC	CRIPTION: SE	:e:00 /II Q		
	CCTGGTACCTT	AGTCACCGTCTCC	CTCA		•	27

I:\gkt\app\newapp · le1v3e.app

	(2) INFORMATION FOR SEQ ID NO:10:	
5	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: CDNA	
,	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
	AATAGATATCTCCTTCAACACTGCAA	27
LO	(2) INFORMATION FOR SEQ ID NO:11:	
15	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 21 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:	
	ATCGGGACAAAGTTGGAAATA	21
	(2) INFORMATION FOR SEQ ID NO:12	
20	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 16 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
25	(ii) MOLECULE TYPE: cDNA	•
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:	
	GGCGGTCTGGTACCGG	16
	(2) INFORMATION FOR SEQ ID NO:13:	
30	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 19 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
35	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:	
	GTCAACAACATAGTCATCA	19
	(2) INFORMATION FOR SEQ ID NO:14:	
4 0	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	I:\gkt\app\newapp le1v3e.app	February 3, 1994

	(ii) MOLECULE TYPE: CDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:	
	CACAGGTGTGTCCCCAAGGAAAA	23
	(2) INFORMATION FOR SEQ ID NO:15:	
5	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
10	(ii) MOLECULE TYPE: CDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
	AATCTGGGGTAGGCACAA	. 18
	(2) INFORMATION FOR SEQ ID NO:16:	
15	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: CDNA	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:	
	AGTGTGTCCCCAAGG	17
	(2) INFORMATION FOR SEQ ID NO:17:	
25	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 24 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION:\SEQ ID NO:17:	
30	CACAGCTGCCCGCCCAGGTGGCAT	24
	(2) INFORMATION FOR SEQ ID NO:18:	
35	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 17 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: cDNA	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:	
	GTCGCCAGTGCTCCCTT	17
40	(2) INFORMATION FOR SEQ ID NO:19:	
٠	I:\gkt\app\newapp le1v3e.app 156	February 3

February 3, 1994

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 20 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

ATCGGACGTGGACGTGCAGA

5

20